

PRACTICAL CLINICAL COURSES
*A Service of the Gordon J. Christensen
Career Development Program*

V1572
Onlays vs. Crowns

Gordon J. Christensen, DDS, MSD, PhD

Materials Included:
C.E. Instruction Sheet
Products List
Clinician Responsible
Goals & Objectives
Overview
Supplemental Materials
AGD Post-Test

Gordon J. Christensen
PRACTICAL CLINICAL COURSES

**PROCEDURE FOR RECEIVING
CE CREDIT FOR VIDEO COURSES**

1. Complete the enclosed Post-Test.* For each **CE Video Purchased**, one complimentary test is included. Additional tests are \$35/person per test. Fees can be paid by check or with a credit card when submitting tests to Practical Clinical Courses. If more than 10 CE tests are required per video, please contact us at 800-223-6569.
2. Complete the demographic information located at the end of the test.
Type of Credit:
 - a. If the applicant selects "State," PCC will issue a certificate of verification to the applicant. The applicant must then submit this certificate to their state board to obtain credit.
 - b. If the applicant selects "AGD," PCC will submit credit information to the Academy of General Dentistry and confirmation to the applicant that it has been submitted (the applicant may check their AGD transcript for verification – please allow 30 days).
 - c. If the applicant selects "Both," PCC will complete a. & b. above.
3. Return the **Post-Test portion** via mail, fax, or email. Our contact information is as follows:

Practical Clinical Courses
3707 N Canyon Road
Suite 3D
Provo, UT 84604
Fax: (801) 226-8637
cetests@pccdental.com

4. Practical Clinical Courses will correct the Post-Test. **Passing scores are 70% or higher.**

****TO OBTAIN CE CREDIT ONLINE:*** Login or create an account on www.pccdental.com and select "My CE Tests" from the left-side menu. Click on the video title to take the test online. **RESULTS ARE IMMEDIATE.** Missing the test? Contact us at 800-223-6569 during our business hours of 7:00 a.m. – 4:00 p.m. MST to add it to your account.

Gordon J. Christensen
PRACTICAL CLINICAL COURSES
Sources of Products Discussed in
V1572 Onlays vs. Crowns

Presented by: Gordon J. Christensen, DDS, MSD, PhD

1. **AccuFilm II**
Parkell, Inc.
300 Executive Drive
Edgewood, NY 11717
(800)243-7446
(631)249-1134
www.parkell.com
2. **Adhese Universal**
Ivoclar Vivadent
175 Pineview Drive
Amherst, NY 14228
(800)533-6825
(716)691-0010
www.ivoclar.com
3. **Aquasil Ultra**
Dentsply Sirona Inc.
13320-B Ballantyne Corporate
Charlotte, NC 28277
(800)877-0020
(717)845-7511
www.dentsplysirona.com
4. **Blu-Mousse**
Parkell, Inc.
300 Executive Drive
Edgewood, NY 11717
(800)243-7446
(631)249-1134
www.parkell.com
5. **Boxing Wax – Red**
Various Manufacturers
6. **BruxZir Esthetic**
Various Distributors
www.bruzir.com
7. **CEREC System by Sirona**
Patterson Dental Supply, Inc.
1031 Mendota Heights Road
St. Paul, MN 55120
(800)328-5536
www.pattersondental.com
8. **CLEARFIL Universal Bond**
Kuraray America, Inc.
Dental Division
32 Old Slip Floor 7
New York, NY 10005
(800)879-1676
www.kuraraydental.com
9. **Crosstech Diamond**
Dentalree
5390 Calgary Court
Las Vegas, NV 89118
(800)996-0686
www.dentalree.com
10. **Dentapops**
Primotec, Inc.
5616 Campanile Way
San Diego, CA 92115
(916)849-2637
www.dentapops.com
11. **Directed Flow Impression Tray**
Solventum
2510 Conway Avenue
St. Paul, MN 55144
(855)423-6725
(612)842-1263
www.3m.com
12. **DryTips**
Microbrush International
1376 Cheyenne Avenue
Grafton, WI 53024
(866)866-8698
www.microbrush.com
13. **Dyract eXtra Universal**
Dentsply Sirona Inc.
13320-B Ballantyne Corporate
Charlotte, NC 28277
(800)877-0020
www.dentsplysirona.com
14. **Examix NDS by GC America**
Henry Schein Dental
135 Duryea Road
Melville, NY 11747
(800)372-4346
(631)843-5500
www.henryschein.com
15. **G5 All-Purpose Desensitizer by Clincian's Choice Dental Products**
Henry Schein Dental
135 Duryea Road
Melville, NY 11747
(800)372-4346
www.henryschein.com
16. **G-CEM ONE Universal Self-Adhesive Resin Cement**
GC America Inc.
3737 West 127th Street
Alsip, IL 60803
(800)323-7063
www.gcamerica.com

17. **GC Fuji LINING LC**
GC America Inc.
3737 West 127th Street
Alsip, IL 60803
(800)323-7063
www.gcamerica.com
18. **Gingi-Pak**
Gingi-Pak
4825 Calle Alto
P.O. Box 240
Camarillo, CA 93011-0240
(800)437-1514
(805)484-1051
www.gingi-pak.com
19. **GLUMA Desensitizer**
Kulzer North America
4315 S. Lafayette Blvd.
South Bend, IN 46614
(800)431-1785
www.kulzerus.com
20. **GLUMA Desensitizer PowerGel**
Kulzer North America
4315 S. Lafayette Blvd.
South Bend, IN 46614
(800)431-1785
www.kulzerus.com
21. **Glu/Sense**
Centrix, Inc.
770 River Road
Shelton, CT 06484
(800)235-5862
(203)929-5582
www.centrixdental.com
22. **Imprint 4**
Solventum
2510 Conway Avenue
St. Paul, MN 55144
(855)423-6725
(612)842-1263
www.3m.com
23. **Intraoral Repair Kit**
BISCO Dental Products
1100 West Irving Park Road
Schaumburg, IL 60193
(800)247-3368
(847)534-6000
www.bisco.com
24. **IPS e.max**
Ivoclar Vivadent Inc.
175 Pineview Drive
Amherst, NY 14228
(800)533-6825
(716)691-0010
www.ivoclar.com
25. **IPS Empress**
Ivoclar Vivadent Inc.
175 Pineview Drive
Amherst, NY 14228
(800)533-6825
(716)691-0010
www.ivoclar.com
26. **Ivoclean Cleaning Paste**
Ivoclar Vivadent Inc.
175 Pineview Drive
Amherst, NY 14228
(800)533-6825
(716)691-0010
www.ivoclar.com
27. **Lava Ultimate**
Solventum
2510 Conway Avenue
St. Paul, MN 55144
(855)423-6725
(612)842-1263
www.3m.com
28. **Madame Butterfly**
Almore International
441 19th Street S.E.
Hickory, NC 28602
(800)547-1511
www.almore.com
29. **Maxcem Elite**
Kerr Corporation
200 S. Kraemer Blvd.
Building E2
Brea, CA 92821
(800)537-7123
www.kerrdental.com
30. **Megatray Custom Tray Material
(Replacement for Triad TruTray)**
Henry Schein Dental
135 Duryea Road
Melville, NY 11747
(800)372-4346
(631)843-5500
www.henryschein.com
31. **Micro-Fill Composite
Finishing Kit**
E.C. Moore Company
13325 Leonard Street
Dearborn, MI 48126
(800)331-3548
(313)581-7878
www.ecmoore.com
32. **MicroEtcher**
Zest Dental Solutions
2875 Loker Avenue East
Carlsbad, CA 92010
(800)262-2310
www.zestdent.com
33. **MicroPrime G**
Zest Dental Solutions
2875 Loker Avenue East
Carlsbad, CA 92010
(800)262-2310
www.zestdent.com
34. **Monobond Plus**
Ivoclar Vivadent Inc.
175 Pineview Drive
Amherst, NY 14228
(800)533-6825
(716)691-0010
www.ivoclar.com

35. **MultiCore Flow**
Ivoclar Vivadent Inc.
175 Pineview Drive
Amherst, NY 14228
(800)533-6825
(716)691-0010
www.ivoclar.com
36. **Multilink Automix**
Ivoclar Vivadent Inc.
175 Pineview Drive
Amherst, NY 14228
(800)533-6825
(716)691-0010
www.ivoclar.com
37. **NeoDiamond**
Microcopy
P.O. Box 2017
Kennesaw, GA 30156-9017
(800)235-1863
www.microcopydental.com
38. **Occlusal Indicator Wax**
Kerr Corporation
200 S. Kraemer Blvd.
Building E2
Brea, CA 92821
(800)537-7123
www.kerrdental.com
39. **OptraGate**
Ivoclar Vivadent
175 Pineview Drive
Amherst, NY 14228
(800)533-6825
(716)691-0010
www.ivoclar.com
40. **Panavia SA Cement**
Kuraray America, Inc.
Dental Division
32 Old Slip Floor 7
New York, NY 10005
(800)879-1676
(212)986-2230
www.kuraraydental.com
41. **Planmeca FIT**
Planmeca USA Inc.
11727 Fruehauf Drive
Charlotte, NC 28273
(630)529-2300
www.planmeca.com
42. **Preppies Plus**
Whip Mix
361 Farmington Avenue
P.O. Box 17183
Louisville, KY 40217
(800)626-5651
(502)637-1451
www.whipmix.com
43. **Prime&Bond Elect**
Dentsply Sirona Inc.
13320-B Ballantyne Corporate
Charlotte, NC 28277
(800)877-0020
www.dentsplysirona.com
44. **Quad-Tray Xtreme by Clinician's Choice**
Henry Schein, Inc.
135 Duryea Road
Melville, NY 11747
(800)372-4346
(631)843-5500
www.henryschein.com
45. **RelyX Ultimate**
Solventum
2510 Conway Avenue
St. Paul, MN 55144
(855)423-6725
(612)842-1263
www.3m.com
46. **RelyX Unicem 2**
Solventum
2510 Conway Avenue
St. Paul, MN 55144
(855)423-6725
(612)842-1263
www.3m.com
47. **Retraction Paste**
Solventum
2510 Conway Avenue
St. Paul, MN 55144
(855)423-6725
(612)842-1263
www.3m.com
48. **ROEKO Stay-Put**
Coltene Inc.
235 Ascot Parkway
Cuyahoga Falls, OH 44223
(330) 916-8800
www.coltene.com
49. **Scotchbond Universal Adhesive**
Solventum
2510 Conway Avenue
St. Paul, MN 55144
(855)423-6725
(612)842-1263
www.3m.com
50. **Scotchbond Universal Etchant**
Solventum
2510 Conway Avenue
St. Paul, MN 55144
(855)423-6725
(612)842-1263
www.3m.com
51. **Sideless Triple Tray**
Premier Dental Co.
1710 Romano Drive
Plymouth Meeting, PA 19462
(888)670-6100
(610)239-6000
www.premierdentalco.com
52. **Solo Diamond**
Premier Dental Co.
1710 Romano Drive
Plymouth Meeting, PA 19462
(888)670-6100
(610)239-6000
www.premierdentalco.com

53. **Spring Health Diamond**
Spring Health Products
705 General Washington Avenue
Suite 701
Norrstown, PA 19403
(610)630-9171
www.springhealthproducts.com
54. **Telio Desensitizer**
Ivoclar Vivadent
175 Pineview Drive
Amherst, NY 14228
(800)533-6825
(716)691-0010
www.ivoclar.com
55. **Telio Inlay**
Ivoclar Vivadent
175 Pineview Drive
Amherst, NY 14228
(800)533-6825
(716)691-0010
www.ivoclar.com
56. **Temp-Bond – NE, Clear, Original**
Kerr Corporation
200 S. Kraemer Blvd.
Building E2
Brea, CA 92821
(800)537-7123
www.kerrdental.com
57. **TheraCal LC**
BISCO Dental Products
1100 West Irving Park Road
Schaumburg, IL 60193
(800)247-3368
(847)534-6000
www.bisco.com
58. **Triad TruTray (See Megatray Custom Tray Material)**
59. **TrollFoil by TrollDental**
Directa USA
64 Barnabas Road
Unit 3
Newtown, CT 06470
(800)537-8765
www.directausa.com
60. **Ultra-Etch**
Ultradent Products Inc.
505 West Ultradent Drive
South Jordan, UT 84095
(888)230-1420
(801)572-4200
www.ultradent.com
61. **VALO**
Ultradent Products, Inc.
505 West Ultradent Drive
South Jordan, UT 84095
(888)230-1420
(801)572-4200
www.ultradent.com
62. **ViscoStat Clear**
Ultradent Products, Inc.
505 West Ultradent Drive
South Jordan, UT 84095
(888)230-1420
(801)572-4200
www.ultradent.com
63. **Vitrebond Plus**
Solventum
2510 Conway Avenue
St. Paul, MN 55144
(855)423-6725
(612)842-1263
www.3m.com
64. **Z-Prime Plus**
BISCO Dental Products
1100 West Irving Park Road
Schaumburg, IL 60193
(800)247-3368
(847)534-6000
www.bisco.com

Product names, the products themselves, and company names change rapidly. Please contact the companies shown to confirm current information.

Gordon J. Christensen Practical Clinical Courses, 3707 North Canyon Road, Suite 3D, Provo, UT 84604
Toll Free (800) 223-6569 or Utah Residents (801) 226-6569

The techniques and procedures on this videotape are intended to be suggestions only. Any licensed practitioner viewing this presentation must make his or her own professional decisions about specific treatment for patients. PCC is not responsible for any damages or other liabilities (including attorney's fees) resulting, or claimed to result in whole or in part, from actual or alleged problems arising out of the use of this presentation.

PROGRAM

V1572 Onlays vs. Crowns

CLINICIAN RESPONSIBLE:

Gordon J. Christensen, DDS, MSD, PhD
Founder and CEO, Practical Clinical Courses
Senior Consultant & Previous CEO, CR Foundation
Practicing Prosthodontist, Provo, Utah

GOALS & OBJECTIVES

At the completion of this video presentation, viewers should be able to:

1. Describe the characteristics of tooth preparations for inlays, onlays, and crowns.
2. Describe why crowns are done more than onlays.
3. Discuss the differences between laboratory made and in-office milled onlays.
4. Draw the tooth preparation for an onlay on a mandibular molar.
5. Discuss liners and bases for inlays and onlays.
6. Discuss soft-tissue management for inlays and onlays.
7. Describe the suggested impression technique for one onlay.
8. Discuss provisional materials for inlays and onlays.
9. Describe the technique for making provisional restorations for onlays.
10. List the types of cements for provisional restorations.
11. Describe why some provisional materials do not require cement.
12. Compare strength of onlays with the strength of uncut teeth.
13. Discuss materials for inlays and onlays.
14. Compare materials for inlays and onlays.
15. Describe zirconia.
16. Describe lithium disilicate.
17. Describe resin nano ceramic.
18. Compare cements for inlays and onlays.
19. List the technique steps for prepping an onlay.
20. List the technique steps for seating an onlay.

OVERVIEW

V1572 Onlays vs. Crowns

This presentation demonstrates the steps in diagnosis and treatment for tooth-colored inlays and onlays using zirconia, lithium disilicate, and resin nano ceramic. The following topics are included:

- Typical teeth needing major restoration
- What are the characteristics of inlays, onlays, and crowns?
- Why crowns are more commonly placed than onlays
- Laboratory made onlays
- In-office milled onlays
- Tooth preparations
- Liners and bases
- Soft-tissue management
- Impressions, conventional and scanned
- Provisional restoration materials
- Cements for provisional restorations
- Seating provisional restorations
- Materials for onlays
- Strength of onlays
- Demonstration of three onlay types
- Cements for onlays
- Cementing lithium disilicate onlays/inlays
- Cementing zirconia onlays/inlays
- Cementing resin nano ceramic inlays/onlays
- Acid etching enamel
- Tooth preparation disinfection and desensitization
- Bonding agents for onlays/inlays
- Seating onlays
- Occlusal considerations
- Long-term maintenance and repair
- Additional educational information
- Conclusions

SUPPLEMENTAL MATERIALS

V1572 Onlays vs. Crowns

1. Mynampati P, Babu MR, Saraswathi DD, Kumar JR, Gudugunta L, Gaddam D. Comparison of fracture resistance and failure pattern of endodontically treated premolars with different esthetic onlay systems: An in vitro study. *J Conserv Dent*. 2015 Mar-Apr;18(2):140-3. doi: 10.4103/0972-0707.153072.
2. Chen C, Trindade FZ, de Jager N, Kleverlaan CJ, Feilzer AJ. The fracture resistance of a CAD/CAM Resin Nano Ceramic (RNC) and a CAD ceramic at different thicknesses. *Dent Mater*. 2014 Sep;30(9):954-62. doi: 10.1016/j.dental.2014.05.018. Epub 2014 Jul 15.
3. Oilo M, Hardang AD, Ulsund AH, Gjerdet NR. Fractographic features of glass-ceramic and zirconia-based dental restorations fractured during clinical function. *Eur J Oral Sci*. 2014 Jun;122(3):238-44. doi: 10.1111/eos.12127. Epub 2014 Apr 4.
4. Belli R, Geinzer E, Muschweck A, Petschelt A, Lohbauer U. Mechanical fatigue degradation of ceramics versus resin composites for dental restorations. *Dent Mater*. 2014 Apr;30(4):424-32. doi: 10.1016/j.dental.2014.01.003. Epub 2014 Feb 17.
5. Fabbri G, Zarone F, Dellificorelli G, Cannistraro G, De Lorenzi M, Mosca A, Sorrentino R. Clinical evaluation of 860 anterior and posterior lithium disilicate restorations: retrospective study with a mean follow-up of 3 years and a maximum observational period of 6 years. *Int J Periodontics Restorative Dent*. 2014 Mar-Apr;34(2):165-77. doi: 10.11607/prd.1769.
6. Joda T, Huber S, Bürki A, Zysset P, Brägger U. Influence of Abutment Design on Stiffness, Strength, and Failure of Implant-Supported Monolithic Resin Nano Ceramic (RNC) Crowns. *Clin Implant Dent Relat Res*. 2014 Mar 14. doi: 10.1111/cid.12215. [Epub ahead of print].
7. Yu W, Guo K, Zhang B, Weng W. Fracture resistance of endodontically treated premolars restored with lithium disilicate CAD/CAM crowns or onlays and luted with two luting agents. *Dent Mater J*. 2014;33(3):349-54. Epub 2014 Apr 17.
8. Saridag S, Sevimay M, Pekkan G. Fracture resistance of teeth restored with all-ceramic inlays and onlays: an in vitro study. *Oper Dent*. 2013 Nov-Dec;38(6):626-34. doi: 10.2341/12-211-L. Epub 2013 Feb 7.
9. Ma L, Guess PC, Zhang Y. Load-bearing properties of minimal-invasive monolithic lithium disilicate and zirconia occlusal onlays: finite element and theoretical analyses. *Dent Mater*. 2013 Jul;29(7):742-51. doi: 10.1016/j.dental.2013.04.004. Epub 2013 May 15.
10. Fabianelli A, Goracci C, Bertelli E, Davidson CL, Ferrari M. A clinical trial of Empress II porcelain inlays luted to vital teeth with a dual-curing adhesive system and a self-curing resin cement. *J Adhes Dent*. 2006 Dec;8(6):427-31.

SUPPLEMENTAL MATERIALS (CONT'D)

V1572 Onlays vs. Crowns

11. Thordrup M, Isidor F, Hörsted-Bindslev P. A prospective clinical study of indirect and direct composite and ceramic inlays: ten-year results. *Quintessence Int.* 2006 Feb;37(2):139-44.
12. Krämer N, Frankenberger R. Clinical performance of bonded leucite-reinforced glass ceramic inlays and onlays after eight years. *Dent Mater.* 2005 Mar;21(3):262-71.
13. Hayashi M, Wilson NH, Yeung CA, Worthington HV. Systematic review of ceramic inlays. *Clin Oral Investig.* 2003 Mar;7(1):8-19. Epub 2002 Dec 21.
14. Thordrup M, Isidor F, Hörsted-Bindslev P. A 5-year clinical study of indirect and direct resin composite and ceramic inlays. *Quintessence Int.* 2001 Mar;32(3):199-205.
15. Heymann HO, Bayne SC, Sturdevant JR, Wilder Jr AD, Roberson TM. The clinical performance of CAD-CAM-generated ceramic inlays: a four-year study. *J Am Dent Assoc.* 1996 Aug;127(8):1171-81.

POST-TEST

V1572 Onlays vs. Crowns

1. An onlay is described by third-party payment organizations as a restoration that:
 - a. covers all tooth cusps.
 - b. covers at least one cusp.
 - c. covers at least the chewing (pestle) cusp.
 - d. is any indirectly made partial coverage restoration.

2. Which is strongest?
 - a. Bonded inlay
 - b. Onlay covering at least half of the cusps
 - c. Onlay covering all of the cusps
 - d. Bonded resin-based composite

3. Tooth preparations for onlays should have:
 - a. at least 1.5 mm of reduction on the occlusal surfaces.
 - b. more divergence than cast gold alloy restorations.
 - c. no gingival bevels.
 - d. all of the above.

4. Impressions for one onlay are best made in:
 - a. a double-arch tray.
 - b. the centric relation position.
 - c. a full-arch tray.
 - d. light curing vinyl polysiloxane.

5. Provisional restorations for onlays:
 - a. should always be made in bis-acryl.
 - b. should always be cemented.
 - c. can be made in bis-acryl, if retention of the prep is low.
 - d. always have good retention.

6. Which was the strongest material (numerically) in the CR study reported in the video?
 - a. Resin nano ceramic
 - b. Zirconia
 - c. Uncut tooth
 - d. Lithium disilicate

7. The most adequate cement for onlays is usually:
 - a. resin-modified glass ionomer.
 - b. glass ionomer.
 - c. resin.
 - d. bonded resin-modified glass ionomer.

POST-TEST (CONT'D)

V1572 Onlays vs. Crowns

- 8. Soft-tissue management for inlays and onlays:
 - a. uses ferric sulfate styptic.
 - b. is minimal.
 - c. requires cord placement.
 - d. requires aluminum chloride styptic.

- 9. Lithium disilicate restorations should be cleaned before cementation with:
 - a. sandblasting.
 - b. hydrofluoric acid etch for at least 10 seconds.
 - c. hydrochloric acid.
 - d. Ivoclean or phosphoric acid.

- 10. Zirconia should be cleaned before cementation with:
 - a. phosphoric acid.
 - b. hydrofluoric acid.
 - c. Ivoclean or sandblast.
 - d. hydrochloric acid.

PLEASE PRINT

Name _____

Name of video purchaser (if different from above) _____

Address _____

City/State/Zip _____

Phone No. _____

Email _____

Indicate which type of credit you wish to obtain: AGD State Both

State License No. _____ AGD No. _____

Payment information Visa American Express Mastercard Discover

Card # _____ - _____ - _____ - _____ Expires ____/____ CVV2-Code: _____

For each **CE Video Purchased**, one complimentary test is included. If you require CE tests for *staff members or additional doctors to receive credit, the fee is \$35/person per test.*

If more than 10 CE tests are required per video, please contact PCC at 800-223-6569.