PRACTICAL CLINICAL COURSES

A Service of the Gordon J. Christensen Career Development Program

V1992 Rescuing Failing Fixed Prosthodontic and Direct Restorations

Gordon J. Christensen, DDS, MSD, PhD

Materials Included:

C.E. Instruction Sheet
Products List
Clinicians Responsible
Goals & Objectives
Overview
Supplemental Materials
AGD Post-Test

Gordon J. Christensen PRACTICAL CLINICAL COURSES

PROCEDURE FOR RECEIVING CE CREDIT FOR VIDEO COURSES

- 1. Complete the enclosed Post-Test.* For each <u>CE Video Purchased</u>, one complimentary test is included. Additional tests are \$35/person per test. Fees can be paid by check or with a credit card when submitting tests to Practical Clinical Courses. If more than 10 CE tests are required per video, please contact us at 800-223-6569.
- 2. Complete the demographic information located at the end of the test.

Type of Credit:

- a. If the applicant selects "State," PCC will issue a certificate of verification to the applicant. The applicant must then submit this certificate to their state board to obtain credit.
- b. If the applicant selects "AGD," PCC will submit credit information to the Academy of General Dentistry and confirmation to the applicant that it has been submitted (the applicant may check their AGD transcript for verification please allow 30 days).
- c. If the applicant selects "Both," PCC will complete a. & b. above.
- 3. Return the **Post-Test portion** via mail, fax, or email. Our contact information is as follows:

Practical Clinical Courses 3707 N Canyon Road Suite 3D Provo, UT 84604 Fax: (801) 226-8637 cetests@pccdental.com

4. Practical Clinical Courses will correct the Post-Test. Passing scores are 70% or higher.

*TO OBTAIN CE CREDIT ONLINE: Login or create an account on www.pccdental.com and select "My CE Tests" from the left-side menu. Click on the video title to take the test online. RESULTS ARE IMMEDIATE. Missing the test? Contact us at 800-223-6569 during our business hours of 7:00 a.m. – 4:00 p.m. MST to add it to your account.

Gordon J. Christensen

PRACTICAL CLINICAL COURSES

Sources of Products Discussed in

V1992 Rescuing Failing Fixed Prosthodontic and Direct Restorations

Presented by: Gordon J. Christensen, DDS, MSD, PhD

1. 1931 Beaver Bur (Midwest)

Dentsply Sirona 13320-B Ballantyne Corporate Charlotte, NC 28277 (800)877-0020 www.dentsplysirona.com

2. **7406, 7901, 7801** Burs (Trimming & Finishing)

Dentsply Sirona 13320-B Ballantyne Corporate Charlotte, NC 28277 (800)877-0020 www.dentsplysirona.com

3. 3M Filtek Supreme Ultra

Solventum 2510 Conway Avenue St. Paul, MN 55144 (855)423-6725 (612)842-1263 www.solventum.com

4. 3M Ketac Universal

Solventum 2510 Conway Avenue St. Paul, MN 55144 (855)423-6725 (612)842-1263 www.solventum.com

5. 3M RelyX Luting Plus

Solventum 2510 Conway Avenue St. Paul, MN 55144 (855)423-6725 (612)842-1263 www.solventum.com

6. 3M RelyX Unicem 2

Solventum 2510 Conway Avenue St. Paul, MN 55144 (855)423-6725 (612)842-1263 www.solventum.com

7. 3M Scotchbond Universal

Solventum 2510 Conway Avenue St. Paul, MN 55144 (855)423-6725 (612)842-1263 www.solventum.com

8. Add & Bond

Parkell, Inc. 300 Executive Drive Edgewood, NY 11717 (800)243-7446 (631)249-1134 www.parkell.com

Anthogyr Safe Relax (Automatic) Crown & Bridge Removal

Various Distributors

10. Anthogyr Safe Remover (Manual) Crown & Bridge Removal

Bridge Removal
Emerginnova LLC
936 SW 1st Avenue
Unit 975
Miami, FL 33130
(786)622-2016
www.emerginnova.com

11. Blu-Mousse

Parkell, Inc. 300 Executive Drive Edgewood, NY 11717 (800)243-7446 (631)249-1134 www.parkell.com

12. Bulk EZ

Zest Dental Solutions 2875 Loker Avenue East Carlsbad, CA 92010 (800)262-2310 (442)244-4835 www.zestdent.com

13. Ceka Bond by Preat Corporation

Various Distributors

14. Christensen Crown Remover

Hu-Friedy Mfg. Co., LLC 3232 North Rockwell Street Chicago, IL 60618 (800)483-7433 (773)975-6100 www.hufriedygroup.com

15. Clearfil Universal Bond Quick

Kuraray America, Inc. 32 Old Slip Floor 7 New York, NY 10005 (800)879-1676 www.kuraraydental.com

16. Dyract eXtra

Dentsply Sirona 13320-B Ballantyne Corporate Charlotte, NC 28277 (800)877-0020 www.dentsplysirona.com

17. Enamelize

Cosmedent, Inc.
401 North Michigan Avenue
Suite 2500
Chicago, IL 60611
(800)621-6729
(312)644-9586
www.cosmedent.com

18. Equia Forte

GC America Inc. 3737 West 127th Street Alsip, IL 60803 (800)323-7063 (708)597-0900 www.gcamerica.com

19. GC FujiCEM 2

GC America Inc. 3737 West 127th Street Alsip, IL 60803 (800)323-7063 (708)597-0900 www.gcamerica.com

20. GC New Metal Strips

GC America Inc. 3737 West 127th Street Alsip, IL 60803 (800)323-7063 (708)597-0900 www.gcamerica.com

21. GLUMA Desensitizer

Kulzer North America 4315 South Lafayette Blvd. South Bend, IN 46614 (800)431-1785 www.kulzerus.com

22. Harmonize

Kerr Corporation 200 S. Kraemer Blvd. Building E2 Brea, CA 92821 (800)537-7123 www.kerrdental.com

23. Intraoral Repair Kit

BISCO, Inc. 1100 West Irving Park Road Schaumburg, IL 60193 (800)247-3368 (847)534-6000 www.bisco.com

24. Ivoclean

Ivoclar Vivadent 175 Pineview Drive Amherst, NY 14228 (800)533-6825 (716)691-0010 www.ivoclar.com

25. **Ligature Wire - 26 Gauge**Various Distributors

26. Liquid Magic

TAUB Products 277 New York Avenue Jersey City, NJ 07307 (800)828-2634 www.taubdental.com

27. MicroEtcher IIA

Zest Dental Solutions 2875 Loker Avenue East Carlsbad, CA 92010 (800)262-2310 (442)244-4835 www.zestdent.com

28. MicroPrime G Desensitizer

Zest Dental Solutions 2875 Loker Avenue East Carlsbad, CA 92010 (800)262-2310 (442)244-4835 www.zestdent.com

29. Monobond Etch & Prime

Ivoclar Vivadent 175 Pineview Drive Amherst, NY 14228 (800)533-6825 (716)691-0010 www.ivoclar.com

30. NeoDiamond

Microcopy P.O. Box 2017 Kennesaw, GA 30156-9017 (800)235-1863 www.microcopydental.com

31. Noritake Materials

Kuraray America, Inc. 32 Old Slip Floor 7 New York, NY 10005 (800)879-1676 www.kuraraydental.com

32. Politip

Ivoclar Vivadent 175 Pineview Drive Amherst, NY 14228 (800)533-6825 (716)691-0010 www.ivoclar.com

33. Premier Implant Cement Plus

Premier Dental Co. 1710 Romano Drive Plymouth Meeting, PA 19462 (888)670-6100 (610)239-6000 www.premierdentalco.com

34. Prisma Gloss

Dentsply Sirona 13320-B Ballantyne Corporate Charlotte, NC 28277 (800)877-0020 www.dentsplysirona.com

35. Ribbond ULTRA

Ribbond, Inc. 1904 3rd Avenue Suite 330 Seattle, WA 98101 (800)624-4554 (206)340-8870 www.ribbond.com

36. Single Diamond

Meisinger USA, LLC 10150 E. Easter Avenue Centennial, CO 80112 (866)634-7464 (303)268-5400 www.meisingerusa.com

37. Solo Diamond

Premier Dental Co. 1710 Romano Drive Plymouth Meeting, PA 19462 (888)670-6100 (610)239-6000 www.premierdentalco.com

38. Stim-U-Dents (By Johnson & Johnson) Local Retail Stores

39. Ultrapro Tx Prophy Paste

Ultradent Products Inc. 505 West Ultradent Drive South Jordan, UT 84095 (888)230-1420 (801)572-4200 www.ultradent.com

40. Zekrya Gingival Protector

DMG America 65 Challenger Road Suite 340 Ridgefield Park, NJ 07660 (800)662-6383 (201)894-5505 www.dmg-america.com

41. **Z-Prime Plus**

BISCO, Inc. 1100 W. Irving Park Road Schaumburg, IL 60193 (800)247-3368 (847)534-6000 www.bisco.com

Product names, the products themselves, and company names change rapidly. Please contact the companies shown to confirm current information.

Gordon J. Christensen Practical Clinical Courses, 3707 North Canyon Road, Suite 3D, Provo, UT 84604 Toll Free (800) 223-6569 or Utah Residents (801) 226-6569

The techniques and procedures on this videotape are intended to be suggestions only. Any licensed practitioner viewing this presentation must make his or her own professional decisions about specific treatment for patients. PCC is not responsible for any damages or other liabilities (including attorney's fees) resulting, or claimed to result in whole or in part, from actual or alleged problems arising out of the use of this presentation.

PROGRAM

V1992 Rescuing Failing Fixed Prosthodontic and Direct Restorations

CLINICIANS RESPONSIBLE:

Gordon J. Christensen, DDS, MSD, PhD

Founder and CEO, Practical Clinical Courses Senior Consultant & Previous CEO, CR Foundation Practicing Prosthodontist, Provo, Utah

GOALS & OBJECTIVES

At the completion of this video presentation, viewers should be able to:

- 1. Describe the major challenges observed with failing fixed prosthodontic and direct restorations.
- 2. Explain the six characteristics of informed consent.
- 3. State several reasons why zirconia restorations are coming off in service.
- 4. Compare the failure rate of IPS e.max coming off in service related to zirconia.
- 5. Describe the method to repair ceramic broken from single tooth porcelain-fused-to-metal restorations.
- 6. Describe the method to repair ceramic broken from porcelain-fused-to-metal <u>fixed prosthesis</u> restorations.
- 7. Describe a repair for an open contact area on an amalgam restoration.
- 8. Describe a repair for an open contact area on a composite restoration.
- 9. Describe a repair for an open contact on an IPS e.max anterior restoration.
- 10. Describe a repair for an open contact on an IPS e.max posterior restoration.
- 11. Describe a repair for an open contact on a zirconia restoration.
- 12. Discuss a repair for a tooth with a composite restoration on the mesial surface and caries on the distal surface.
- 13. Describe the technique for restoring an endodontic access hole in a ceramic crown.
- 14. Describe the technique for restoring a screw access hole in an implant-supported ceramic crown.
- 15. List the steps to repair a zirconia crown with a significant chip on the facial surface.
- 16. Discuss repairing a zirconia-based crown with a large fractured MB cusp.
- 17. Describe how to remove a fixed prosthesis loose on one end.
- 18. Describe an overcrown.
- 19. List the steps in taking off a failing zirconia crown.
- 20. Describe splinting with orthodontic wire or resin-reinforced fibers and composite.

OVERVIEW

V1992 Rescuing Failing Fixed Prosthodontic and Direct Restorations

Repair of restorative treatment is seldom discussed in dental education, since the students have only a few months of clinical experience and other topics dominate the curricula. The following and other topics are included in this video presentation:

- The major challenges observed with failing fixed prosthodontic and direct restorations
- Six characteristics of informed consent
- Why zirconia restorations are coming off in service
- The failure rate of IPS e.max coming off in service related to zirconia
- The method to repair ceramic broken from <u>single</u> tooth porcelain-fused-to-metal restorations
- The method to repair ceramic broken from porcelain-fused-to-metal fixed prosthesis restorations
- Repair for an open contact area on an amalgam restoration
- Repair for an open contact area on a composite restoration
- Repair for an open contact on an IPS e.max anterior restoration
- Repair for an open contact on an IPS e.max posterior restoration
- Repair for an open contact on a zirconia restoration
- Repair for a tooth with a composite restoration on the mesial surface and caries on the distal surface
- The technique for restoring an endodontic access hole in a ceramic crown
- The technique for restoring a screw access hole in an implant-supported ceramic crown
- The steps to repair a zirconia crown with a significant chip on the facial surface
- Repairing a zirconia-based crown with a large fractured MB cusp
- How to remove a fixed prosthesis loose on one end
- What is an overcrown
- The steps in taking off a failing zirconia crown
- Splinting mobile teeth with orthodontic wire or resin-reinforced fibers and composite

SUPPLEMENTAL MATERIALS

V1992 Rescuing Failing Fixed Prosthodontic and Direct Restorations

- 1. Christensen GJ. Ask Dr. Christensen: Is crown repair the best salvage? Dental Economics. 2018 Apr;108(4):73-74.
- 2. Brignardello-Petersen R. Repairing class II restorations seems to increase the longevity of direct class II restorations, but the benefit may vary substantially depending on the operator. J Am Dent Assoc. 2017 Sep;148(9):e135. doi: 10.1016/j.adaj.2017.06.039. Epub 2017 Jul 25.
- 3. Ruschel VC, Stolf SC, Shibata S, Baratieri LN. A Conservative Technique for Repairing Class IV Composite Restorations. Oper Dent. 2017 Jan/Feb;42(1):E10-E15. doi: 10.2341/15-316-T. Epub 2016 Sep 30.
- 4. Burke FJT. Technique Tips: A New Look at Repairing Fractured Metal-Ceramic Restorations: Use of a Universal Bonding System and Resin Composite, following Sandblasting. Dent Update. 2017 Jan;44(1):81.
- 5. Burke FJT. Technique Tips Repairing Fractured Metal-Ceramic Restorations using Tribochemical Impregnation. Dent Update. 2016 Dec;43(10):989.
- 6. Kanzow P, Wiegand A, Schwendicke F. Cost-effectiveness of repairing versus replacing composite or amalgam restorations. J Dent. 2016 Nov;54:41-47. doi: 10.1016/j.jdent.2016.08.008. Epub 2016 Aug 26.
- 7. Christensen GJ. Ask Dr. Christensen: When to do heroic repairs of fixed prostheses. Dental Economics. 2013 Sep;103(9):36-43.
- 8. Christensen GJ. Ask Dr. Christensen: PFM Repair. Dental Economics. 2009 Oct;99(10).
- 9. Christensen GJ. When and how to repair a failing restoration. J Am Dent Assoc. 2007 Dec;138(12):1605-7.
- 10. Christensen GJ. Ask Dr. Christensen: Repairing Posterior Crowns & Latex Allergy. Dental Economics. 2001 Oct:70-72.
- 11. Christensen GJ. Salvaging and Repairing Crowns and Fixed Prostheses. J Am Dent Assoc. 1994 Aug;125(8):1127-30.

POST-TEST

V1992 Rescuing Failing Fixed Prosthodontic and Direct Restorations

1. Informed consent:

- a. requires only informing the patient of what happens if you do nothing.
- b. is not necessary for repair procedures since many are transitional.
- c. includes 6 requirements.
- d. includes 5 requirements.

2. Zirconia crowns:

- a. of generation 1 are very strong.
- b. can come off frequently during service.
- c. are not easy to cut off preps.
- d. all of the above.

3. Ceramic broken off a PFM single crown:

- a. requires an overcrown.
- b. can often be provisionally repaired with a composite bonded restoration.
- c. should always have a new crown.
- d. usually causes pulpal damage.

4. IPS e.max restorations:

- a. come off frequently in service.
- b. segregate at the tooth-cement interface, when they come off.
- c. require an MDP primer for repair.
- d. do not require a silane primer for repair.

5. Ceramic broken off a multi-unit fixed prosthesis:

- a. can be repaired best with a bonded resin.
- b. can be repaired best with an overcrown.
- c. does not need an MDP primer when using an overcrown.
- d. when repaired with an overcrown, is NOT a long-term service.

6. Restoring an endodontic access hole in an IPS e.max crown:

- a. is usually a long-term repair.
- b. should have patient informed consent about the potential of later failure.
- c. usually does not require an opaquer agent.
- d. requires an MDP primer.

7. Closing an open contact on a posterior zirconia restoration:

- a. usually does not require a new crown.
- b. is capable of being repaired long-term with a composite bonded to the zirconia.
- c. is not usually a problem for the patient.
- d. all the above are false.

POST-TEST (CONT'D)

V1992 Rescuing Failing Fixed Prosthodontic and Direct Restorations

- 8. A fixed partial denture loose on one end:
 - a. should always be removed and remade.
 - b. can usually not be removed and recemented.
 - c. can be removed and cemented with a light-cured cement.
 - d. can be removed and recemented with a dual- or auto-cure cement.
- 9. Splinting mobile anterior teeth:
 - a. is usually a difficult procedure.
 - b. can be done with a wire or fiber-reinforced composite splint.
 - c. usually requires splinted crowns.
 - d. has to be an expensive procedure.
- 10. A product suggested for filling the screw-tightening holes in implants is:
 - a. MDP primer.
 - b. silane.
 - c. Liquid Magic.
 - d. tin foil.

PLEASE PRINT

Name	
Name of video purchaser (if different from above)	
Address	
City/State/Zip	
Phone No.	
Email	
State License No	AGD No
Payment information Visa American Express Mastercard Discover	
Card #	Expires / CVV2-Code:

For each <u>CE Video Purchased</u>, one complimentary test is included. If you require CE tests for *staff members or additional doctors to receive credit, the fee is \$35/person per test*.

If more than 10 CE tests are required per video, please contact PCC at 800-223-6569.